

Chapter 3

Appendix 1. Case studies and references related to Tables 2 and 3.

1. Abu-Hilal, A.H. (1994). Effect of Depositional Environment and Sources of Pollution on Uranium Concentration in Sediment, Coral, Algae and Seagrass Species from the Gulf of Aqaba (Red Sea). *Marine Pollution Bulletin*, 28, 81-88.
2. Airolidi, L., Balata, D. and Beck, M.W. (2008). The Gray Zone: Relationships between habitat loss and marine diversity and their applications in conservation. *Journal of Experimental Marine Biology and Ecology*, 8. Available: DOI 10.1016/j.jembe.2008.07.034.
3. Alongi, D.M. (2012). Carbon sequestration in mangrove forests. *Carbon Management*, 3, 313-322.
4. Alongi, D. M., Chong, V. C., Dixon, P., Sasekumar, A. and Tirendi, F. (2003). The influence of fish cage aquaculture on pelagic carbon flow and water chemistry in tidally dominated mangrove estuaries of peninsular Malaysia. *Marine Environmental Research*, 55, 313-333.
5. Avis, A.M. (1989) A review of coastal dune stabilization in the Cape Province of South Africa. *Landscape and Urban Planning*, 18, 55-68. Available: DOI 10.1016/0169-2046(89)90055-8.
6. Barbier, E.B., Hacker, S.D., Kennedy, C., Koch, E.W., Stier, A.C. and Silliman, B.R. (2011). The value of estuarine and coastal ecosystem services. *Ecological Monographs*, 169.
7. Bridger, C.J. and Costa-Pierce, B.A. (eds.) (2003). *Open Ocean Aquaculture: From Research to Commercial Reality*. Baton Rouge, LA: The World Aquaculture Society.
8. Buck, B.H., Krause, G. and Rosenthal, H. (2004). Extensive open ocean aquaculture development within wind farms in Germany: the prospect of offshore co-management and legal constraints. *Ocean and Coastal Management*, 47, 95.
9. Burke, L. and Maidens, J. (2004). *Reefs at risk in the Caribbean*. World Resources Institute, Washington, D.C. Report number: 97815697356711569735670.
10. Carleton, J.M. (1974). Land-building and Stabilization by Mangroves. *Environmental Conservation*, 1, 285.
11. Cesar, H., Burke, L. and Pet-Soede, L. 2003. The economics of worldwide coral reef degradation.
12. Chmura, G.L., Anisfeld, S.C., Cahoon, D.R. and Lynch, J.C. (2003). Global carbon sequestration in tidal, saline wetland soils. *Global Biogeochemical Cycles*, 17, n/a.
13. Davenport, J. and Davenport, J.L. (2006). The impact of tourism and personal leisure transport on coastal environments: A review. *Estuarine, Coastal and Shelf Science*, 280. Available: DOI 10.1016/j.ecss.2005.11.026.
14. Davis, D., Banks, S., Birtles, A., Valentine, P. and Cuthill, M. (1997). Whale sharks in Ningaloo Marine Park: managing tourism in an Australian marine protected area. *Tourism Management (United Kingdom)*.
15. DeWalt, B.R., Vergne, P. and Hardin, M. (1996). Shrimp aquaculture development and the environment : people, mangroves and fisheries on the Gulf of Fonseca, Honduras. *World development : the multi-disciplinary international journal devoted to the study and promotion of world development*, 24, 1193-1208.

16. Dorenbosch, M., Grol, M.G.G., Christianen, M.J.A., Nagelkerken, I. and van der Velde, G. (2005). Indo-Pacific seagrass beds and mangroves contribute to fish density and diversity on adjacent coral reefs. *Marine Ecology - Progress Series*, 302, 63-76.
17. Dorenbosch, M., van Riel, M.C., Nagelkerken, I. and van der Velde, G. (2004). The relationship of reef fish densities to the proximity of mangrove and seagrass nurseries. *Estuarine Coastal and Shelf Science*, 60, 37. Available: DOI 10.1016/j.ecss.2003.11.018.
18. Falkowski, P., Scholes, R.J., Boyle, E., Canadell, J., Canfield, D., Elser, J., Gruber, N., Hibbard, K., Hogberg, P., Linder, S., Mackenzie, F. T., Moore, B., III, Pedersen, T., Rosenthal, Y., Seitzinger, S., Smetacek, V. and Steffen, W. (2000). The Global Carbon Cycle: A Test of Our Knowledge of Earth as a System. *Science*.
19. Fourqurean, J.W., Duarte, C.M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M.A., Apostolaki, E.T., Kendrick, G.A., Krause-Jensen, D., McGlathery, K.J. and Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock.
20. Fujimoto, K. (2004). Below-ground carbon sequestration of mangrove forests in the Asia-Pacific region. In: Vannucci, M. (ed.) *Mangrove management and conservation workshop*. Okinawa, Japan.
21. Gattuso, J.P., Frankignoulle, M. and Wollast, R. (1998). Carbon and Carbonate Metabolism in Coastal Aquatic Ecosystems. *Annual Review of Ecology, Evolution and Systematics*, 29, 405.
22. Gedan, K.B., Kirwan, M.L., Wolanski, E., Barbier, E.B. and Silliman, B.R. (2011). The present and future role of coastal wetland vegetation in protecting shorelines: answering recent challenges to the paradigm. *Climatic Change*, 7.
23. Harbison, P. (1986). Mangrove muds--a sink and a source for trace metals. *Marine Pollution Bulletin*, 17, 246.
24. Harrold, C. and Reed, D.C. (1985). Food Availability, Sea Urchin Grazing, and Kelp Forest Community Structure. *Ecology*, 1160. Available: DOI 10.2307/1939168.
25. Hawkins, J.P. and Roberts, C.M. (1994). The Growth of Coastal Tourism in the Red Sea: Present and Future Effects on Coral Reefs. *Ambio*, 503. Available: DOI 10.2307/4314268.
26. Hoagland, P., Jin, D. and Kite-Powell, H. (2003). The optimal allocation of ocean space: aquaculture and wild-harvest fisheries. *Marine Resource Economics*, 129.
27. Kennedy, H., Beggs, J., Duane, C.M., Fourqurean, J.W., Holmer, M., Marbà, N. and Middelburg, J. J. (2010). Seagrass sediments as a global carbon sink: Isotopic constraints. *Global Biogeochemical Cycles*, 24, 1.
28. Kinsey, D.W. and Hopley, D. (1991). Research paper: The significance of coral reefs as global carbon sinks— response to Greenhouse. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 89, 363-377. Available: DOI 10.1016/0031-0182(91)90172-n.
29. Knutson, P., Brochu, R., Seelig, W. and Inskeep, M. (1982). Wave damping in *Spartina alterniflora* marshes. *Wetlands*, 2, 87.
30. Koch, E.W., Barbier, E.B., Silliman, B.R., Reed, D.J., Perillo, G.M.E., Hacker, S.D., Granek, E.F., Primavera, J.H., Muthiga, N., Polasky, S., Halpern, B.S., Kennedy, C.J., Kappel, C.V. and Wolanski, E. (2009). Non-Linearity in Ecosystem Services: Temporal and Spatial Variability in Coastal Protection. *Frontiers in Ecology and the Environment*, 29. Available: DOI 10.2307/25595035.

31. Kuhlbusch, T.A.J. (1998). Enhanced: Black Carbon and the Carbon Cycle *Science*, 280, 1903-1904. Available: DOI DOI:10.1126/science.280.5371.1903.
32. Laffoley, D. and Grimsditch, G.D. (eds.) (2009). *The management of natural coastal carbon sinks*. Switzerland: International Union for Conservation of Nature and Natural Resources.
33. Lal, R. (2005). Forest soils and carbon sequestration. *Forest Ecology and Management*. Elsevier.
34. Lemmens, J.W.T.J., Clapin, G., Lavery, P. and Cary, J. (1996). Filtering capacity of seagrass meadows and other habitats of Cockburn Sound, Western Australia. *MARINE ECOLOGY- PROGRESS SERIES*, 143, 187-200.
35. Levin, N. and Ben-Dor, E. (2004) Monitoring sand dune stabilization along the coastal dunes of Ashdod-Nizanim, Israel, 1945–1999. *Journal of Arid Environments*, 58, 335-355. Available: DOI 10.1016/j.jaridenv.2003.08.007.
36. Li, Y.-L., Wang, L., Zhang, W.-Q., Zhang, S.-P., Wang, H.-L., Fu, X.-H. and Le, Y.-Q. (2010). Variability of soil carbon sequestration capability and microbial activity of different types of salt marsh soils at Chongming Dongtan. *Ecological Engineering*, 1754. Available: DOI 10.1016/j.ecoleng.2010.07.029.
37. McLeod, E., Chmura, G.L., Bouillon, S., Salm, R., Björk, M., Duarte, C.M., Lovelock, C. E., Schlesinger, W.H. and Silliman, B. R. (2011). A blueprint for blue carbon: toward an improved understanding of the role of vegetated coastal habitats in sequestering CO₂. *Frontiers in Ecology and the Environment*, 9, 552.
38. Menzel, S., Kappel, C.V., Broitman, B.R., Micheli, F. and Rosenberg, A.A. (2013). Linking human activity and ecosystem condition to inform marine ecosystem based management. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 506.
39. Minh, T., Yakuitiyage, A., and Macintosh, D.J. (2001). *Management of the integrated mangrove-aquaculture farming systems in the Mekong Delta of Vietnam*. Pathumthani, Thailand Integrated Tropical Coastal Zone Management, School of Environment, Resources, and Development, Asian Institute of Technology, .
40. Moreno-Casasola, P. (1986). Sand Movement as a Factor in the Distribution of Plant Communities in a Coastal Dune System. *Vegetatio*, 67. Available: DOI 10.2307/20037269.
41. Nagelkerken, I., Velde, G.v.d., Gorissen, M.W., Meijer, G.J., Hof, T.V.t. and Hartog, C.d. (2000). Regular Article: Importance of Mangroves, Seagrass Beds and the Shallow Coral Reef as a Nursery for Important Coral Reef Fishes, Using a Visual Census Technique. *Estuarine, Coastal and Shelf Science*, 51, 31-44. Available: DOI 10.1006/ecss.2000.0617.
42. Ohde, S. and van Woesik, R. (1999). Carbon dioxide flux and metabolic processes of a coral reef, Okinawa. *Bulletin of Marine Science*, 65, 559-576.
43. Paddack, M.J. and Estes, J.A. (2000). Kelp forest fish populations in marine reserves and adjacent exploited areas of central California. *Ecological Applications*, 855.
44. Pauly, D. and Christensen, V. (1995). Primary production required to sustain global fisheries. *Nature*, 255.
45. Pinn, E.H. and Rodgers, M. (2005). The influence of visitors on intertidal biodiversity. *Journal of the Marine Biological Association of the United Kingdom*, 85, 263.
46. Quiors, A. (2005). Whale shark "ecotourism" in the Philippines and Belize: evaluating conservation and community benefits. *Tropical Resources: Bulletin of the Yale Tropical Resources Institute*, 24, 42-48.

47. Robertson, A.I. and Phillips, M.J. (1995). Mangroves as filters of shrimp pond effluent: predictions and biogeochemical research needs. *Hydrobiologia*, 295, 311.
48. Ronnback, P. (1999). The Ecological Basis for Economic Value of Seafood Production Supported by Mangrove Ecosystems. *Ecological Economics*, 29, 235-252. Available: DOI <http://www.sciencedirect.com/science/journal/09218009>.
49. Sathirathai, S. and Barbier, E.B. (2001). Valuing Mangrove Conservation in Southern Thailand. *Contemporary Economic Policy*, 19, 109-122. Available: DOI <http://onlinelibrary.wiley.com/journal/10.1111/%28ISSN%291465-7287>.
50. Schiel, D.R. and Taylor, D.I. (1999). Effects of trampling on a rocky intertidal algal assemblage in southern New Zealand. *Journal of Experimental Marine Biology and Ecology*, 235, 213-235. Available: DOI 10.1016/s0022-0981(98)00170-1.
51. Schlacher, T.A., de Jager, R. and Nielsen, T. (2011). Vegetation and ghost crabs in coastal dunes as indicators of putative stressors from tourism. *Ecological Indicators*, 11, 284-294. Available: DOI 10.1016/j.ecolind.2010.05.006.
52. Short, F.T. and Short, C.A. (1984). The seagrass filter: purification of estuarine and coastal waters. In: Kennedy, V. S. (ed.) *The estuary as a filter*. Orlando: Academic Press.
53. Siegfried, W.R., Crawford, R.J.M., Shannon, L.V., Pollock, D.E., Payne, A.I.L. and Krohn, R. G. (1990). Scenarios for global-warming induced change in the open-ocean environment and selected fisheries of the west coast of Southern Africa. *South African Journal of Science*, 281-285.
54. Smith, S. V. (1981). Marine macrophytes as global carbon sink. *Science*, 838.
55. Steneck, R.S., Graham, M.H., Bourque, B.J., Corbett, D., Erlandson, J.M., Estes, J.A. and Tegner, M.J. 2002. Kelp forest ecosystems: biodiversity, stability, resilience and the future. *Environmental Conservation*, 29, 436-459.
56. Tegner, M.J. and Dayton, P.K. (2000). Ecosystem effects of fishing in kelp forest communities. *ICES Journal of Marine Science / Journal du Conseil*, 57, 579.
57. van der Meulen, F. and Salman, A.H.P M. Management of Mediterranean coastal dunes. *Ocean and Coastal Management*, 30, 177-195. Available: DOI 10.1016/0964-5691(95)00060-7.
58. Vianna, G.M.S., Meekan, M.G., Pannell, D.J., Marsh, S.P. and Meeuwig, J.J. (2012). Socio-economic value and community benefits from shark-diving tourism in Palau: A sustainable use of reef shark populations. *Biological Conservation*, 267. Available: DOI 10.1016/j.biocon.2011.11.022.
59. Walsh, J.J., Rowe, G.T., Iverson, R.L. and McRoy, C.P. (1981). Biological export of shelf carbon is a sink of the global CO₂ cycle. *Nature*, 291, 196.
60. Ward, P. and Myers, R. A. (2005). Shifts in Open-Ocean Fish Communities Coinciding with the Commencement of Commercial Fishing. *Ecology*, 835. Available: DOI 10.2307/3450838.
61. Wells, S., Ravilius, C. and Corcoran, E. (2006). *In the front line. Shoreline protection and other ecosystem services from mangroves and coral reefs*. UNEP-WCMC Biodiversity Series 24. UNEP-WCMC 2006. [Accessed 20130927].
62. Woodhouse, W.W., Broome, S.W., Seneca, E.D., Center, C.E.R. and University., N.C.S. (1974). *Propagation of Spartina alterniflora for substrate stabilization and salt marsh development / by W.W. Woodhouse, Jr., E.D. Seneca, and S.W. Broome*. Fort Belvoir, Va. : Coastal Engineering Research Center. Available: DOI 10.5962/bhl.title.47587.