

## Chapter 34

### Appendix. Additional reading on marine biodiversity patterns

The list below is far from exhaustive but included references contributing authors would have included if space had permitted.

#### Mammals

- Anderson, P.K. (1995). Competition, predation, and evolution and extinction of Steller's sea cow, *Hydrodamalis gigas*. *Marine Mammal Science* 11:391-394
- Bailleul, F., Charrassin, J.-B., Monestiez, P., Roquet, F., Biuw, M., Guinet, C. (2007). Successful foraging zones of southern elephant seals from the Kerguelen Islands in relation to oceanographic conditions. *Philosophical Transactions of the Royal Society of London B: Biological Sciences* 362:2169-2181
- Balance, L.T., Pitman, R.L., Fiedler, P.C. (2006). Oceanographic influences on seabirds and cetaceans of the eastern tropical Pacific: A review. *Progress in Oceanography* 69:360-390
- Biuw, M., Boehme, L., Guinet, C., Hindell, M., Costa, D., Charrassin, J.B., Roquet, F., Bailleul, F., Meredith, M., Thorpe, S., Tremblay, Y., McDonald, B., Park, Y.H., Rintoul, S.R., Bindoff, N., Goebel, M., Crocker, D., Lovell, P., Nicholson, J., Monks, F., Fedak, M.A. (2007). Variations in behavior and condition of a Southern Ocean top predator in relation to in situ oceanographic conditions. *Proceedings of the National Academy of Sciences. USA* 104:13705-13710
- Branch, T.A., Stafford, K.M., Palacios, D.M., Allison, C., Bannister, J.L., Burton, C.L.K., Cabrera, E., Carlson, C.A., Vernazzani, B.G., Gill, P.C., Hucke-Gaete, R., Jenner, K.C.S., Jenner, M.N.M., Matsuoka, K., Mikhalev, Y.A., Miyashita, T., Morrice, M.G., Nishiwaki, S., Sturrock, V.J., Tormosov, D., Anderson, R.C., Baker, A.N., Best, P.B., Borsa, P., Brownell, R.L., Jr., Childerhouse, S., Findlay, K.P., Gerrodette, T., Ilangakoon, A.D., Joergensen, M., Kahn, B., Ljungblad, D.K., Maughan, B., McCauley, R.D., McKay, S., Norris, T.F., Group OWADR, Rankin, S., Samaran, F., Thiele, D., Van Waerebeek, K., Warneke, R.M. (2007). Past and present distribution, densities and movements of blue whales *Balaenoptera musculus* in the Southern Hemisphere and northern Indian Ocean. *Mammal Review* 37:116-175
- Dalebout, M.L., Mead, J.G., Baker, C.S., Baker, A.N., van Helden, A.L. (2002). A new species of beaked whale *Mesoplodon perrini* sp. n. (Cetacea: Ziphiidae) discovered through phylogenetic analysis of mitochondrial DNA sequences. *Marine Mammal Science* 18:577-608

- Davis, R.W., Ortega-Ortiz, J.G., Ribic, C.A., Evans, W.E., Biggs, D.C., Ressler, P.H., Cady, R.B., Leben, R.R., Mullin, K.D., Würsig, B. (2002). Cetacean habitat in the northern oceanic Gulf of Mexico. *Deep Sea Research (Part I): Oceanographic Research Papers* 49:121-142
- Gilles, A., Adler, S., Kaschner, K., Scheidat, M., Siebert, U. (2011). Modelling harbour porpoise seasonal density as a function of the German Bight environment: implications for management. *Endangered Species Research* 14:157-169
- Gilles, A., Scheidat, M., Siebert, U. (2009). Seasonal distribution of harbour porpoises and possible interference of offshore wind farms in the German North Sea. *Marine Ecology Progress Series* 383:295-307
- Gregr, E.J., Coyle, K.O. (2009). The biogeography of the North Pacific right whale (*Eubalaena japonica*). *Progress in Oceanography* 80:188-198
- Kaschner, K., Quick, N., Jewell, R., Williams, R., Harris, C.M. (2012). Global coverage of cetacean line-transect surveys: status quo, gaps and future challenges. *Plos One* 7:13
- Kot, C.Y., Fujioka, E., Hazen, L.J., Best, B.D., Read, A.J., Halpin, P.N. (2010). Spatio-temporal gap analysis of OBIS-SEAMAP project data: assessment and way forward. *Plos One* 5:e12990
- Kraus, S.D., Rolland ,R.M. (2007). The Urban Whale: North Atlantic Right Whales at the Crossroads, Vol. Harvard University Press, Cambridge, MA
- MacLeod, C.D., Mitchell, G. (2006). Key areas for beaked whales worldwide. *Journal of Cetacean Research & Management* 7:309-322
- Mattila, D.K., Clapham, P.J., Vasquez, O., Bowman, R.S. (1994). Occurrence, population composition, and habitat use of humpback whales in Samana Bay, Dominican Republic. *Canadian Journal of Zoology* 72:1898-1907
- Schick, R.S., Halpin, P.N., Read, A.J., Slay, C.K., Kraus, S.D., Mate, B.R., Baumgartner, M.F., Roberts, J.J., Best, B.D., Good, C.P., Loarie, S.R., Clark, J.S. (2009). Striking the right balance in right whale conservation. *Canadian Journal of Fisheries and Aquatic Sciences* 66:1399-1403
- Schipper, J., Chanson, J.S., Chiozza, F., Cox, N.A., Hoffmann, M., Katariya, V., Lamoreux, J., Rodrigues, A.S.L., Stuart, S.N., Temple, H.J., Baillie, J., Boitani, L., Jr. T.E.L., Mittermeier, R.A., Smith, A.T., Absolon, D., Aguiar, J.M., Amori, G., Bakkour, N., Baldi, R., Berridge, R.J., Bielby, J., Black, P.A., Blanc, J.J., Brooks, T.M., Burton, J.A., Butynski, T.M., Catullo, G., Chapman, R., Cokeliss, Z., Collen, B., Conroy, J., Cooke, J.G., Fonseca, G.A.B., Derocher, A.E., Dublin, H.T., Duckworth, J.W., Emmons, L., Emslie, R.H., Festa-Bianchet, M., Foster, M., Foster, S., Garshelis, D.L., Gates, C., Gimenez-Dixon, M., Gonzalez, S., Gonzalez-Maya, J.F., Good, T.C., Hammerson, G., Hammond, P.S., Happold, D., Happold, M., Hare, J., Harris, R.B., Hawkins, C.E., Haywood, M., Heaney, L.R., Hedges, S., Helgen, K.M., Hilton-Taylor, C., Hussain, S.A., Ishii, N., Jefferson, T.A., Jenkins, R.K.B., Johnston, C.H., Keith, M., Kingdon, J., Knox, D.H., Kovacs, K.M., Langhammer, P., Leus, K., Lewison, R., Lichtenstein, G., Lowry, L.F., Macavoy, Z., Mace, G.M., Mallon, D.P., Masi, M., McKnight, M.W., Medellín, R.A., Medici, P., Mills, G., Moehlman, P.D., Molur, S., Mora, A., Nowell, K., Oates, J.F., Olech, W., Oliver, W.R.L., Oprea, M., Patterson, B.D., Perrin,

- W.F., Polidoro, B.A., Pollock, C., Powel, A., Protas, Y., Racey, P., Ragle, J., Ramani, P., Rathbun, G., Reeves, R.R., Reilly, S.B., III J.E.R., Rondinini, C., Rosell-Ambal, R.G., Rulli, M., Rylands, A.B., Savini, S., Schank, C.J., Sechrest, W., Self-Sullivan, C., Shoemaker, A., Sillero-Zubiri, C., Silva, N.D., Smith, D.E., Srinivasulu, C., Stephenson, P.J., Strien, N.V., Talukdar, B.K., Taylor, B.L., Timmins, R., Tirira, D.G., Tognelli, M.F., Tsytulina, K., Veiga, L.M., Vié, J.-C., Williamson, E.A., Wyatt, S.A., Xie, Y., Young, B.E. (2008). The status of the world's land and marine mammals: Diversity, threat, and knowledge. *Science*:225-230
- Smith, T.D., Reeves, R.R., Josephson, E.A., Lund, J.N. (2012). Spatial and seasonal distribution of American whaling and whales in the age of sail. *Plos One* 7:e34905
- SMM Committee on Taxonomy (2012). List of marine mammal species and subspecies, Society for Marine Mammalogy, [www.marinemammalscience.org](http://www.marinemammalscience.org), Consulted on: 28/08/2013.
- Stevick, P.T., McConnell, B.J., Hammond, P.S. (2002). Patterns of Movement. In: Hoelzel AR (ed) *Marine Mammal Biology - An Evolutionary Approach*. Blackwell Science Ltd, Oxford, Malden, MA, p 185-216
- Stockin, K.A., Pierce, G.J., Binedell, V., Wiseman, N., Orams, M.B. (2008). Factors affecting the occurrence and demographics of common dolphins (*Delphinus sp.*) in the Hauraki Gulf, New Zealand. *Aquatic Mammals* 34:200-211
- Wada S, Oishi M, Yamada TK (2003). A newly discovered species of living baleen whale. *Nature* 426:278-281

### Cephalopods

- O'Dor, R.K., (2012). The incredible flying squid. *New Scientist* 2865: 39-41)

### Microbes

- Chisholm, S.W., Falkowski, P.G. and Cullen, J.J. (2001). Dis-crediting ocean fertilization. *Science* 294: 309-310
- Doney, S.C., Fabry, V.J., Feely, R.A., Kleypas, J.A. (2009). Ocean acidification: The other CO<sub>2</sub> problem. *Annual Review of Marine Science* 1, 169-192.
- Field, C.B., Behrenfeld, M.J., Randerson, J.T., and Falkowski, P. (1998). Primary production of the biosphere: Integrating terrestrial and oceanic components. *Science* 281:237-240.
- Hoegh-Guldberg, O., Bruno, J.F. (2010). Marine ecosystems. The impact of climate change on the world's marine ecosystems. *Science* 328, 1523-1524
- Jessup, D.A. et al. (2009). Mass stranding of marine birds caused by surfactant-producing red tide. *PLoS One*. 4: e4550.
- Landsberg, J.H. (2002) The effects of harmful algal blooms on aquatic organisms. *Reviews in Fisheries Science*. 10: 113-390.

- Pollard, R.T. et al. 2009. Southern Ocean deep-water carbon export enhanced by natural iron fertilization. *Nature* pg: 577-580.
- Ray, G.C., Grassle, J.F. (1991) Marine Biological Diversity Program. *BioScience* 41 (7), 453-457.
- Rost, B., Zondervan, I., Wolf-Gladrow, D. (2008) Sensitivity of phytoplankton to future changes in ocean carbonate chemistry: current knowledge, contradictions and research directions. *Marine Ecology Progress Series* 373, 227-237.
- Sherr, E. and Sherr, B. 2009. Capacity of herbivorous protists to control initiation and development of mass phytoplankton blooms. *Aquatic Microbial Ecology* 57:253-262.
- Shumway, S.E., Allen, S.M., Boersma, P.D. (2003) Marine birds and harmful algal blooms: sporadic victims or under-reported events? *Harm. Algae*. 2: 1-17.
- Strom, S.L. (2008). Microbial ecology of ocean biogeochemistry: A community perspective. *Science* 320:1043-1045.
- Van Dolah, F.M., Roelke, D., Greene, R.M. (2001) Health and ecological impacts of harmful algal blooms: risk assessment needs. *Human and Ecological Risk Assessment: An International Journal*. 7: 1329-1345.
- Winder, M., Sommer, U., 2012. Phytoplankton response to a changing climate. *Hydrobiologia* 698 (1), 5-16.
- Wolf-Gladrow, D.A., Riebesell, U., Burkhardt, S., Bijma, J., 1999. Direct effects of CO<sub>2</sub> concentration on growth and isotopic composition of marine plankton. *Tellus B* 51 (2), 461-476.

### **Rock shores**

- Blanchette, C.A., Wieters, E.A., Broitman, B.R., Kinlan, B.P., Schiel, D.R. (2009) Trophic structure and diversity in rocky intertidal upwelling ecosystems: A comparison of community patterns across California, Chile, South Africa and New Zealand. *Progress in Oceanography* 83: 107-116.
- Crain, C.M., Kroeker, K., Halpern, B.S. (2008) Interactive and cumulative effects of multiple human stressors in marine systems. *Ecology Letters* 11: 1304-1315.
- Cruz-Motta, J.J., Miloslavich, P., Palomo, G., Iken, K., Konar, B., et al. (2010). Patterns of spatial variation of assemblages associated with intertidal rocky shores: A global perspective. *PLoS ONE* 5(12): e14354. doi:10.1371/journal.pone.0014354
- Darling, E.S., Côté, I.M. (2008). Quantifying the evidence for ecological synergies. *Ecology Letters* 11: 1278-1286.
- Helmuth, B., Mieszkowska, N., Moore, P., Hawkins, S.J. (2006). Living on the edge of two changing worlds: Forecasting the responses of rocky intertidal ecosystems to climate change. *Annual Review of Ecology, Evolution, and Systematics* 37: 373-404.

- Konar, B., Iken, K., Cruz-Motta, J.J., Benedetti-Cecchi, L., Knowlton, A., et al. (2010) Current patterns of macroalgal diversity and biomass in northern hemisphere rocky shores. *PLoS ONE* 5(10): e13195. doi:10.1371/journal.pone.0013195
- Peterson, C.H., Lubchenco, J. (1997). Marine ecosystem services. In: Daily G (ed) Nature's services: societal dependence on natural ecosystems. Island Press, Washington, DC. Pp 177-194.
- Pohle, G., Iken, K., Clarke, K.R., Trott, T., Konar, B., et al. (2011) Aspects of benthic decapod diversity and distribution from rocky nearshore habitat at geographically widely dispersed sites. *PLoS ONE* 6(4): e18606. doi:10.1371/journal.pone.0018606
- Thompson, R.C., Crowe, T.P., Hawkins, S.J. (2002) Rocky intertidal communities: past environmental changes, present status and predictions for the next 25 years. *Environment Conservation* 29: 168-191.
- Underwood, A.J. (1992) Beyond BACI: the detection of environmental impacts on populations in the real, but variable, world. *Journal of Experimental marine biology and Ecology* 161: 145-178.
- Underwood, A.J. (1994) On beyond BACI - sampling designs that might reliably detect environmental disturbances. *Ecological Applications* 4: 3-15.

### Coral Reefs

- Barott, K.L., Rodriguez-Brito, B., Janouškovec, J., Marhaver, K.L., Smith, J.E., Keeling, P., Rohwer, F.L. (2011) Microbial diversity associated with four functional groups of benthic reef algae and the reef-building coral Montastraea annularis. *Environmental Microbiology*, 13: 1192–1204. doi: 10.1111/j.1462-2920.2010.02419.x
- Bellwood, D.R., Hughes, T.P. (2001). Regional-scale assembly rules and biodiversity of coral reefs. *Science* 292: 1532–1534.
- Bruno, J.F., Selig, E.R. (2007) Regional decline of coral cover in the Indo-Pacific: timing, extent, and subregional comparisons. *PLoS ONE*, 2, e711.
- Budd, A.F., Romano, S.L., Smith, N., Barbeitos, M.S. (2010). Rethinking the Phylogeny of Scleractinian Corals: A Review of Morphological and Molecular Data. *Integrative and Comparative Biology* 50: 411–427. Available: <http://icb.oxfordjournals.org/cgi/doi/10.1093/icb/icq062>.
- Burke, L., Reytar, K., Spalding, M.D., Perry, A. (2011). Reefs at Risk-hires. World Resources Institute. 130 pp.
- Darwin, C.R. (1842). The structure and distribution of coral reefs. Being the first part of the geology of the voyage of the Beagle, under the command of Capt. Fitzroy, R.N. during the years 1832 to 1836. London: Smith Elder and Co.
- Fukami, H., Chen, C.A., Budd, A.F., Collins, A., Wallace, C., et al. (2008). Mitochondrial and Nuclear Genes Suggest that Stony Corals Are Monophyletic but Most Families of Stony

Corals Are Not (Order Scleractinia, Class Anthozoa, Phylum Cnidaria). *PLoS ONE* 3: e3222. doi:10.1371/journal.pone.0003222.t002.

Hopley, D. (2009). Encyclopedia of Modern Coral Reefs - Structure, Form and Process. James Cook University, Townsville, Australia. Springer. 1250 pp.

IPCC (2007). Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Geneva: Intergovernmental Panel on Climate Change.

IUCN (2013). The IUCN Red List of Threatened Species. Version 2013.2. <<http://www.iucnredlist.org>>. Downloaded on 21 November 2013.

Mora, C., Aburto-Oropeza, O., Ayala Bocos, A., Ayotte, P.M., Banks, S., et al. (2011). Global human footprint on the linkage between biodiversity and ecosystem functioning in reef fishes. *PLOS Biology* 9: e1000606. doi:10.1371/journal.pbio.1000606.

Renema, W., Bellwood, D.R., Braga, J.C., Bromfield, K., Hall, R., et al. (2008). Hopping Hotspots: Global Shifts in Marine Biodiversity. *Science* 321: 654–657. doi:10.1126/science.1155674.

Sheppard, C.R.C. (1987). Coral species of the Indian Ocean and adjacent seas: a synonymized compilation and some regional distributional patterns. *Atoll Research Bulletin*, Vol. 307, pp. 1–33.

Spalding, M.D., Fox, H.E., Allen, G.R., Davidson, N., Ferdana, Z.A., Finlayson, M., Halpern, B.S., Jorge, M.A., Lombana, A.L., Lourie, S.A. (2007). Marine ecoregions of the world: a bioregionalization of coastal and shelf areas. *BioScience*, Vol. 57m, pp. 573–583.

Veron, J.E.N. (2000). Corals of the World. Townsville, Australia: Australian Institute of Marine Science.

Wafar, M., Venkataraman, K., Ingole, B., Khan, S.A., Loka Bharathi, P. (2011). State of Knowledge of Coastal and Marine Biodiversity of Indian Ocean Countries. *PLoS ONE*, Vol. 6(1).

Wilkinson, C. (2004). Status of Coral Reefs of the World. Global Coral Reef Monitoring Network/International Coral Reef Initiative.

Wilson, M., Rosen, B. (1998). Implications of paucity of corals in the Paleogene of SE Asia: plate tectonics or Centre of Origin? In: Hall R, Holloway J, editors. Backhuys Publishers, Leiden, The Netherlands: Biogeography and Geological Evolution of SE Asia. pp. 165–195.

## Mangrove Forests

Barbier, E.B., Koch, E.W., Silliman, B.R., Hacker, S.D., Wolanski, E., Primavera, J., Granek, E.F., Polasky, S., Aswani, S., Cramer, L.A., Stoms, D.M., Kennedy, C.J., Bael, D., Kappel, C.V., Perillo, G.M.E., Reed, D.J. (2008). Coastal ecosystem-based management with nonlinear ecological functions and values. *Science* 319: 321-323.

- Cannicci, S., Burrows, D., Fratini, S., Lee, S.Y., Smith, T.J. III, Offenberg, J., Dahdouh-Guebas, F. (2008). Faunal impact on vegetation structure and ecosystem function in mangrove forests: a review. *Aquatic Botany* 89: 186-200.
- Duke, N.C., Meynecke, J.-O., Dittmann, S., Ellison, A.M., Anger, K., Berger, U., Cannicci, S., Diele, K., Ewel, K.C., Field, C.D., Koedam, N., Lee, S.Y., Marchand, C., Nordhaus, I., Dahdouh-Guebas, F. (2007). A world without mangroves? *Science* 317: 41-42.
- Hutchison, J., Manica, A., Swetnam, R., Balmford, A., Spalding, M. (2013) Predicting global patterns in mangrove forest biomass. *Conservation Letters* 7(3): 233–240.
- Lee, S.Y., Primavera, J.H., Dahdouh-Guebas, F., McKee, K., Bosire, J.O., Cannicci, S., Diele, K., Fromard, F., Koedam, N., Marchand, C., Mendelsohn, I., Mukherjee, N., Record, S. (2014). Ecological role and services of tropical mangrove ecosystems: A reassessment. *Global Ecology and Biogeography* 23: 726–743.
- Nagelkerken, I., Blaber, S., Bouillon, S., Green, P., Haywood, M., Kirton, L.G., Meynecke, J.-O., Pawlik, J., Penrose, H.M., Sasekumar, A., Somerfield, P.J. (2008). The habitat function of mangroves for terrestrial and marina fauna: a review. *Aquatic Botany* 89(2): 155-185.

### **Coastal Sediments**

- Griffiths, C.L., Robinson, T.B., Lange, L., Mead, A. (2010). Marine Biodiversity in South Africa: An Evaluation of Current States of Knowledge. *PLoS ONE* 5: e12008. doi:10.1371/journal.pone.0012008
- Hedges, J.I., Keil, R.G. (1995). Sedimentary organic matter preservation: an assessment and speculative synthesis. *Marine Chemistry* 49:81-115
- Miloslavich, P., Klein, E., Díaz, J.M., Hernández, C.E., Bigatti, G., et al. (2011). Marine Biodiversity in the Atlantic and Pacific Coasts of South America: Knowledge and Gaps. *PLoS ONE* 6: e14631. doi:10.1371/journal.pone.0014631
- Snelgrove, P.V.R., Butman, C.A. (1994). Animal-sediment relationships revisited: Cause versus effect Oceanogr. *Mar. Biol. Ann. Rev.* 32: 111-177.

### **Deep-Sea Sediments**

- Bailey, D.M., Collins, M.A., Gordon, J.D.M., Zuur, A.F., Priede, I.G. (2009). Long-term changes in deep-water fish populations in the northeast Atlantic: a deeper reaching effect of fisheries? *Proc. R. Soc. B Biol. Sci.* 276, 1965–1969.
- Brandt, A., De Broyer, C., Ebbe, B., Ellingsen, K.E., Gooday, A.J., Janussen, D., Kaiser, S., Linse ,K., Schueller, M., Thomson, M.R.A., Tyler, P.A., Vanreusel, A. (2012). Southern Ocean Deep Benthic Biodiversity, in: Rogers, A.D., Johnston, N.M., Murphy, E.J., Clarke, A. (Eds.), Antarctic Ecosystems. John Wiley & Sons, Ltd, pp. 291–334.

- Brandt, A., Linse, K., Schüller, M. (2009). Bathymetric distribution patterns of Southern Ocean macrofaunal taxa: Bivalvia, Gastropoda, Isopoda and Polychaeta. *Deep Sea Res. Part Ocean. Res. Pap.* 56, 2013–2025.
- Carney, R.S. (2005). Zonation of deep-sea biota on continental margins. *Ocean. Mar. Biol. Annu. Rev.* 43, 211–279.
- Danovaro, R., Gambi, C., Dell'Anno, A., Corinaldesi, C., Fraschetti, S., Vanreusel, A., Vincx, M., Gooday A. J. (2008). Exponential decline of deep-sea ecosystem functioning linked to benthic biodiversity loss. *Current Biology* 18: 1-8.
- Danovaro, R., Canals, M. , Gambi, C., Heussner, S., Lampadariou, N., Vanreusel, A. (2009) Exploring Benthic Biodiversity Patterns and Hotspots on European Margin Slopes *Oceanography* 22: 16-25.
- De Leo, F.C., Smith, C.R., Rowden, A.A., Bowden, D.A., Clark, M.R. (2010). Submarine canyons: hotspots of benthic biomass and productivity in the deep sea. *Proc. R. Soc. B* 277: 2783-92
- Devine, J.A., Baker, K.D., Haedrich, R.L. (2006). Fisheries: Deep-sea fishes qualify as endangered. *Nature* 439, 29–29.
- Fosså, J.H., Mortensen, P.B., Furevik, D.M. (2002). The deep-water coral Lophelia pertusa in Norwegian waters: distribution and fishery impacts. *Hydrobiologia* 471, 1–12.
- Helly, J., Levin, L.A. (2004). Global distribution of naturally occurring marine hypoxia on continental margins. *Deep Sea Research.* 51: 1159-1168.
- Herndl, G.M.J., Reinthaler, T., Teira, E., van Aken, H., Veth, C., Pernthaler, A., Pernthaler, J. (2005). 2309 Contribution of Archaea to Total Prokaryotic Production in the Deep Atlantic Ocean *Appl. Environ. Microbiol.* 71:2303-
- Levin, L.A. (2003). Oxygen minimum zone benthos: Adaptation and community response to hypoxia. *Oceanography and Marine Biology: An Annual Review* 41: 1-45. (2003)
- Levin, L.A., Ron, J.E., Rex, M.A., Gooday, A.J., Smith, C.R., Pineda, J., Stuart, C.T., Hessler, R.R., Pawson, D. (2001). Environmental influences on regional deep-sea species diversity. *Annu. Rev. Ecol. Syst.* 32, 51–93.
- McClain, C.R., Allen, A.P., Tittensor, D.P., Rex, M.A. (2012). Energetics of life on the deep seafloor. *Proceedings of the National Academy of Sciences* 109, 15366–15371.
- Menot, L., Sibuet, M., Carney, R.S., Levin, L.A., Rowe, G.T., Billett, D.S.M., Poore, G., Kitazato, H., Vanreusel, A., Galéron, J., Lavrado, H.P., Sellanes, J., Ingole, B., Krylova, E. (2010). New Perceptions of Continental Margin Biodiversity, in: McIntyre, A.D. (Ed.), *Life in the World's Oceans*. Wiley-Blackwell, pp. 79–102.
- Ramirez-Llodra, E., Brandt, A., Danovaro, R., De Mol, B., Escobar, E., German, C.R., Levin, L.A., Martinez Arbizu, P., Menot, L., Buhl-Mortensen, P., Narayanaswamy, B.E., Smith, C.R., Tittensor, D.P., Tyler, P.A., Vanreusel, A., Vecchione, M. (2010). Deep, diverse and definitely different: unique attributes of the world's largest ecosystem. *Biogeosciences* 7, 2851–2899.

- Ruhl, H.A., Ellena, J.A., Smith, K.L. (2008). Connections between climate, food limitation, and carbon cycling in abyssal sediment communities. *Proceedings of the National Academy of Sciences* 105, 17006–17011.
- Smith, C.R., De Leo, F.C., Bernardino, A.F., Sweetman, A.K., Arbizu, P.M. (2008). Abyssal food limitation, ecosystem structure and climate change. *Trends Ecol. Evol.* 23, 518–528.
- Smith, K.L., Ruhl, H.A., Bett, B.J., Billett, D.S.M., Lampitt, R.S., Kaufmann, R.S. (2009). Climate, carbon cycling, and deep-ocean ecosystems. *Proceedings of the National Academy of Sciences U. S. A.* 106, 19211–19218.
- Snelgrove, P.V.R., Smith, C.R. (2002). A riot of species in an environmental calm: The paradox of the species-rich deep-sea floor. *Ocean. Marine Biology.* 40, 311–342.
- Somero, G.N. (1992). Biochemical ecology of deep-sea animals. *Experientia* 48, 537–543.
- Stegeman, J.J., Kloepfer-Sams, P.J., Farrington, J.W. (1986). Monooxygenase induction and chlorobiphenyls in the deep-sea fish *Coryphaenoides armatus*. *Science* 231, 1287–1289.
- Stramma, L., Schmidt, S., Levin, L.A., Johnson, G.C. (2010). Ocean oxygen minima expansions and their biological impacts. *Deep-Sea Research I* 210: 587-595. (2010)
- Tittensor, D.P., Rex, M.A., Stuart, C.T., McClain, C.R., Smith, C.R. (2011). Species–energy relationships in deep-sea molluscs. *Biology Letters.* 7, 718–722.
- Tyler, P., Amaro, T., Arzola, R., Cunha, M.R., de Stigter, H., Gooday, A., Huvenne, V., Ingels, J., Kiriakoulakis, K., Lastras, G., Masson, D., Oliveira, A., Pattenden, A., Vanreusel, A., Van Weering, T., Vitorino, J., Witte, U., Wolff, G. (2009). Europe's Grand Canyon: Nazaré Submarine Canyon. *Oceanography*, 22, (1), 46-57.
- Yakimov, M.M., Cono, V.L., Smedile, F., DeLuca, T.H., Juárez, S., Ciordia, S., Fernández, M., Albar, J.P., Ferrer, M., Golyshin, P.N., Giuliano, L. (2011). Contribution of crenarchaeal autotrophic ammonia oxidizers to the dark primary production in Tyrrhenian deep waters (Central Mediterranean Sea). *ISME J.* 2011 Jun;5(6):945-61.
- Yasuhara, M., Hunt, G., van Dijken, G., Arrigo, K.R., Cronin, T.M., Wollenburg, J.E. (2012). Patterns and controlling factors of species diversity in the Arctic Ocean. *Journal of Biogeography.* 39, 2081–2088.

## Seamounts

- Castelin, M., Puillandre, N., Lozouet, P., Sysoev, A., Richer de Forges, B. et al. (2011). Molluscan species richness and endemism on New Caledonian seamounts: are they enhanced compared to adjacent slopes? *Deep Sea Research I* 58: 637–646.
- Cho, W., Shank, T.M. (2010). Incongruent patterns of genetic connectivity among four ophiuroid species with differing coral host specificity on North Atlantic seamounts. *Marine Ecology* 31 (Suppl. 1): 121–143.
- Clark, M.R. (2009). Seamounts: Biology. Pp. 818–821 In: Gillespie, R.G. & Clague, D.A. (eds). *Encyclopaedia of Islands* University of California Press. 1074p.

- Clark, M.R., Watling, L., Rowden, A.A., Guinotte, J.M., Smith, C.R. (2011). A global seamount classification to aid the scientific design of marine protected area networks. *Ocean and Coastal Management* 54: 19–36.
- Howell, K.L., Mowles, S.L., Foggo, A. (2010). Mounting evidence: near-slope seamounts are faunally indistinct from an adjacent bank. *Marine Ecology* 31 (suppl. 1): 52–62.
- Kim, S.-S., Wessel, P. (2011). New global seamount census from altimetry-derived gravity data. *Geophysical Journal International* 186: 615–631.
- Kitchingman, A., Lai, S. (2004). Inferences on potential seamount locations from mid resolution bathymetric data. In: Morato T, Pauly D, editors. *Seamounts: Biodiversity and Fisheries*. Vancouver, BC, Canada: Fisheries Centre, University of British Columbia. pp 7-12.
- McClain, C.R., Lundsten L, Barry J, DeVogelaere A. (2010). Bathymetric patterns in diversity, abundance and assemblage structure on a northeast Pacific seamount. *Marine Ecology* 31 (suppl 1): 14–25.
- McClain, C.R., Lundsten L, Ream M, Barry J, De Vogelaere A (2009). Endemicity, biogeography, composition and community structure on a northeast Pacific seamount. *PLoS ONE* 4:e4141, 8pp.
- Miller, K., Williams A, Rowden AA, Knowles C, Dunshea G (2010). Conflicting estimates of connectivity among deep-sea coral populations. *Marine Ecology* 31 (suppl 1):144–157.
- Morato, T., Clark, M.R. (2007). Seamount fishes: ecology and life histories. In: Pitcher, T.J., Morato, T., Hart, P.J.B., Clark, M.R., Haggan, N., Santos, R.S., editors. *Seamounts: ecology, fisheries, and conservation*. Blackwell Fisheries and Aquatic Resources Series 12. Oxford, UK: Blackwell Publishing. pp. 170–188.
- O'Hara, T.D., Consalvey, M., Lavrado, H.P., Stocks, K.I. (2010). Environmental predictors and turnover of biota along a seamount chain. *Marine Ecology* 31 (suppl 1): 84–94.
- Parin, N.V., Mironov, A.N., Nesis, K.N. (1997). Biology of the Nazca and Sala y Gomez submarine ridges, and outpost of the Indo-West Pacific fauna in the Eastern Pacific Ocean: Composition and distribution of the fauna, its communities and history. *Advances in Marine Biology* 32:145–242.
- Raymore, P.A. (1982). Photographic investigations on three seamounts in the Gulf of Alaska. *Pacific Science* 36: 15–34.
- Richer de Forges, B., Koslow, J.A., Poore, G.C.B. (2000). Diversity and endemism of the benthic seamount fauna in the southwest Pacific. *Nature* 405: 944-947.
- Rowden, A.A., Dower, J.F., Schlacher, T.A., Consalvey M, Clark MR (2010). Paradigms in seamount ecology: fact, fiction, and future. *Marine Ecology* 31 (suppl 1): 226–239.
- Rowden, A.A., Schlacher, T.A., Williams, A., Clark, M.R., Stewart, R. et al. (2010). A test of the seamount oasis hypothesis: seamounts support higher epibenthic megafaunal biomass than adjacent slopes. *Marine Ecology* 31 (suppl 1): 95–106.

- Rowden, A.A., Schnabel, K.E., Schlacher, T.A., Macpherson, E., Ahyong, S.T. et al. (2010). Squat lobster assemblages on seamounts differ from some, but not all, deep-sea habitats of comparable depth. *Marine Ecology* 31 (suppl 1): 63–83.
- Stocks, K.I., Clark, M.R., Rowden, A.A., Consalvey, M. (2012). CenSeam, and international program on seamounts within the Census of Marine Life: achievements and lessons learned. *PLoS ONE* 7(2): doi:10.1371/journal.pone.0032031
- Thoma, J.N., Pante, E., Brugler, M.R., France, S.C. (2009). Deep-sea octocorals and antipatharians show no evidence of seamount scale endemism in the NW Atlantic. *Marine Ecology Progress Series* 397: 25–35.
- Tracey, D.M., Bull, B., Clark, M.R., MacKay, K.A. (2004). Fish species composition on seamounts and adjacent slope in New Zealand waters. *New Zealand Journal of Marine and Freshwater Research* 38: 163–182.
- UNESCO (2009). Global Oceans and Deep Seabed--Biogeographic Classification. Paris, France: UNESCO-IOC. IOC Technical Series 84. 87 p.
- White, M., Bashmachnikov, I., Aristegui, J., Martins, A. (2007). Physical processes and seamount productivity. In: Pitcher TJ, Morato T, Hart PJB, Clark MR, Haggan N, Santos RS, editors. *Seamounts: ecology, fisheries, and conservation*. Blackwell Fisheries and Aquatic Resources Series 12. Oxford, UK: Blackwell Publishing. pp. 65–84.
- Yesson, C., Clark, M.R., Taylor, M., Rogers, A.D. (2011). The global distribution of seamounts based on 30-second bathymetry data. *Deep Sea Research I* 58: 442–453.

## Hydrothermal Vents

- DeWitt, T.J., Sih, A., Wilson, D.S. (1998). Costs and limits of phenotypic plasticity: Trends in *Ecology & Evolution*, v. 13: 77-81.
- Embley, R.W., Baker, E.T., Butterfield, D.A., Chadwick, Jr. W.W., Lupton, J.E., Resing, J.A., de Ronde, C.E.J., Nakamura, K.-I., Tunnicliffe, V., Dower, J.F., Merle, S.G. (2007). Exploring the submarine ring of fire: *Mariana Arc - Western Pacific: Oceanography* 20: 68-79.
- Kawecki, T. (1995). Demography of source—sink populations and the evolution of ecological niches: *Evolutionary Ecology* 9: 38-44.
- Levin, L.A. (2005). Ecology of cold seep sediments: interactions of fauna with flow, chemistry and microbes.: *Oceanography and Marine Biology Annual Reviews*, v. 43: 1 - 46.
- Olu, K., Cordes, E.E., Fisher, C.R., Brooks, J.M., Sibuet, M., Desbruyères, D. (2010). Biogeography and potential exchanges among the Atlantic equatorial belt cold-seep faunas: *PLoS ONE* 5: e11967.
- Sibuet, M., Olu, K. (1998). Biogeography, biodiversity and fluid dependence of deep-sea cold-seep communities at active and passive margins: *Deep Sea Research Part II: Topical Studies in Oceanography*, v. 45: 517-567.

- Tarasov, V.G., Gebruk, A.V., Mironov, A.N., Moskalev, L.I. (2005). Deep-sea and shallow-water hydrothermal vent communities: Two different phenomena?: *Chemical Geology*, v. 224: 5-39.
- Treude, T., Kiel, S., Linke, P., Peckmann, J., Goedert, J. (2011). Elasmobranch egg capsules associated with modern and ancient cold seeps: a nursery for marine deep-water predators: *Marine Ecology Progress Series* 437: 175-181.
- Vrijenhoek, R.C., (2013). On the instability and evolutionary age of deep-sea chemosynthetic communities. *Deep Sea Research Part II: Topical Studies in Oceanography*, vol. 92. pp. 189-200.